



Ancillary Equipment

Banding, Brinell Kits, Hardness Bars & More

Banding Equipment

Stock No.	Description
61001	<u>5/8 in. Mild Steel Banding:</u> (For securing heaters and insulation)
61010	<u>5/8 in. Mild Steel Banding Clips:</u> (For use with stock no. 61001 - 100 pieces per package)
61011	<u>1/2 in. Mild Steel Wing Seal Banding Clips:</u> (100 pieces per package)
61012	<u>5/8 in. Mild Steel Wing Seal Banding Clips:</u> (100 pieces per package)
61013	<u>1/2 in. Stainless Steel Wing Seal Banding Clips:</u> (100 pieces per package)
61014	<u>1/2 in. Stainless Steel Banding Clips:</u> (100 per package)
61015	<u>1/2 in. Mild Steel Banding Clips:</u> (100 per package)
61100	<u>5/8 in. Stainless Steel Banding:</u> (For securing high temperature heaters to the workpiece - 8lbs per roll / 200feet per roll.)
60102	<u>5/8 in. Stainless Steel Wing Seal - Banding Clips:</u> (100 pieces per package)
61110	<u>5/8 in Stainless Steel Banding Clips:</u> (For use with stock no. 61100 - 100 pieces per package)
61111	<u>1/2 in. Stainless Steel Banding:</u> (For securing high temperature heaters to the workpiece)
61112	<u>1/2 in. Mild Steel Banding:</u> (For securing heaters and insulation)
61600	<u>101 Banding Tensioner:</u> (For tightening banding around the workpiece)
61601	<u>1902D Banding Tensioner:</u> (Used for round surfaces)
61602	<u>1916 Banding Tensioner:</u> (Used for flat surfaces)
61610	<u>Banding Sealer - Model 1953A:</u> (For crimping 5/8 in. banding clips)
61611	<u>Banding Sealer - Model 1953HR:</u> (For crimping 5/8 in. banding clips)
61700	<u>Adjustable Stainless Steel Strap:</u> (With adjustable screw snaplock-40" flat length)
63105	<u>Soft Iron Tie Wire - 16 Gauge:</u> (104.1 feet per lb. / comes on 3 lb. spools)
63106	<u>Stainless Steel Tie Wire:</u> (304 Stainless Steel .041 diameter-approx.221 feet per lb / comes on 1 lb spool)

G

High Temperature Tape

Stock No.	Description
64010	<u>High Temperature P-21:</u> (Glass Adhesive Tape - 3/4 in. - 48 rolls in a case)
64013	<u>High temperature P-21:</u> (Glass Adhesive Tape - 2 1/2 in. - 48 rolls in a case)
64015	<u>Non-Adhesive Fiberglass Tape:</u> (1/2 in. - 10 mil. Thick {1/2 in. wide x 36 yards Approx.)
64016	<u>Non-Adhesive Fiberglass Tape:</u> (3/4 in. - 10 mil. Thick { 3/4. wide x 36 yards Approx.)
64017	<u>Non-Adhesive Fiberglass Tape:</u> (1 in. - 10 mil. Thick { 1 in. wide x 36 yards Approx.)
64020	<u>3/4 in. Filament Tape:</u> (300 lbs Tensile strength - 60 yards a roll / 48 rolls in a case)

Tong Tester/ Ammeter



Stock No.

Description

61001 Tong Tester Ammeter AC/DC Readout: (Complete with voltage tester and probes/ Range 0-400 Amps.)

Stock No. **61001**

Magnets

Stock No.

Description

66001 Coupled Round Magnets: (2ea. - Alnico Round Magnets Mounted on 9 inch Support Bar - For securing heaters)

66002 Coupled Square Magnets: (2ea. - Alnico Square Magnets Mounted on 9 inch Support Bar - For securing heaters)



Stock No. **66001**

Brinell Kits & Hardness Bars



Stock No. **67000**



Stock No. **67020**

Stock No.

Description

67020

Mini-Brineller Portable Steel Hardness Tester K - Model 316:

Equivalent to Rockwell C Scale
Range: 20 to 65 HRC - Accuracy +/- 1.5 Points
Comes Complete with -

- Minibreller Unit
- Hammer of optimum weight for hardness tests
- Six accurately calibrated REFERENCE BARS of known Brinell Hardness
- 50x MICROSCOPE measuring to 0.001"
- MINIBRELLER SLIDE RULE CALCULATOR
- Set of Extra impression balls
- Instruction Manual
- Durable Carrying Case

Stock No.

Description

67000 Telebrineller Kit - Range 100-650 BHN:

Consists of -

- 1 ea. - Carrying Case
- 1ea. - Microscope
- 1ea. - Computer
- 1pad - Calculation
- 5ea. - Selected Hardness Bars
- Instruction Manual

67010 Hardness Bars for Above Kit:

627	363	235	151
601	352	229	147
578	341	223	142
555	331	217	138
534	321	212	135
514	311	204	131
495	302	200	127
477	293	194	124
461	285	188	121
444	277	182	117
429	269	176	114
415	262	170	111
401	255	165	109
388	248	160	106
375	241	156	103

67030 Hardness Bars for Above Kit:

100	155				
105	160	210			
110	165	215	260	305	350
115	170	220	265	310	355
120	175	225	270	315	360
125	180	230	275	320	365
130	185	235	280	325	370
135	190	240	285	330	375
140	195	245	290	335	380
145	200	250	295	340	385
150	205	255	300	345	390

+/- 5 Points When ordering Bars

